



भारत का राजपत्र

The Gazette of India

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY



सं० ५०] नई दिल्ली, शनिवार, दिसम्बर ११, १९९९ (अग्रहायण २०, १९२१)

No. ५०] NEW DELHI, SATURDAY, DECEMBER 11, 1999 (AGRAHAYANA 20, 1921)

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके।
 [Separate paging is given to this Part in order that it may be filed as a separate compilation]

भाग III—खण्ड २ [PART III—SECTION 2]

पेटेन्ट कार्यालय द्वारा जारी की गई पेटेन्टों और डिजाइनों से सम्बन्धित अधिसूचनाएँ और नोटिस।
 [Notifications and Notices Issued by the Patent Office relating to Patents and Designs]

THE PATENT OFFICE PATENTS AND DESIGNS

Calcutta, the 11th December 1999

ADDRESS AND JURISDICTION OF THE OFFICES OF THE PATENT OFFICE

The Patent Office has its Head Office at Calcutta and Branch Offices at Mumbai, Delhi and Chennai having territorial Jurisdiction on a Zonal basis as shown below :—

Patent Office Branch,
Todi Estates, IIIrd Floor,
Lower Parel (West), Mumbai-400 013.

The States of Gujarat,
Maharashtra, Madhya Pradesh and
Goa and the Union
Territories of Daman and
Diu and Dadra and Nagar Haveli.

Telegraphic address "PATOFFICE".
Phone No. 482 5092
Fax No. 022 495 0622

Patent Office Branch,
Unit No. 401 to 405, IIIrd Floor,
Municipal Market Building,
Saraswati Marg, Karol Bagh,
New Delhi-110 005.

The States of Haryana,
Himachal Pradesh, Jammu and
Kashmir, Punjab, Rajasthan,
Uttar Pradesh and Delhi and
the Union Territory of
Chandigarh.

Telegraphic address "PATENTOFIC"
Phone No. 578 2532
Fax No. 011 576 6204

Patent Office Branch,
Wing 'C' (C-4, A),
IIIrd Floor, Rajaji Bhavan, Besant Nagar,
Chennai-600 090.

The States of Andhra Pradesh,
Karnataka, Kerala, Tamilnadu and
Pondicherry and the Union
Territories of Laccadive, Minicoy
and Aminidivi Islands.

Telegraphic address "PATENTOFIS"
Phone No. 490 1495
Fax No. 044 490 1492

Patent Office (Head Office),
"NIZAM PALACE", 2nd M.S.O.
Building, 5th, 6th and 7th
Floors, 234/4, Acharya Jagadish
bose Road, Calcutta-700 020.

Rest of India.

Telegraphic address "PATENTS"
Phone No. 247 4401
Fax No. 033 247 3851

The Head Office of the Patent
Office at Calcutta is the
Receiving Office, Elected
Office and Designated Office
for International Applications
under P.C.T.

All applications, notices, statements or other documents
or any fees required by the Patents Act, 1970 and the Patents
(Amendment) Act, 1999 or the Patents Rules 1972 as amended
by The Patents (Amendment) Rules 1999 will be received
only at the appropriate offices of the Patent Office.

Fees :—The fees may either be paid in cash or may be
sent by Bank Draft or Cheques payable to the
Controller of Patents drawn on a scheduled bank at the
place where the appropriate office is situated.

पेटेंट कार्यालय
एकस्व तथा अभिभाव
कलकत्ता, दिनांक 11 दिसंबर 1999

पेटेंट कार्यालय के कार्यालयों के पते एवं अधिकारीकार
पेटेंट कार्यालय का प्रधान कार्यालय कलकत्ता में स्थित है
तथा मुम्बई, चिल्ही एवं बैंगलौर में इसके शाखा कार्यालय हैं,
जिनके प्राधीनिक अधिकारीकार जीन के आधार पर गिम्ल इन में
स्थापित हैं :—

पेटेंट कार्यालय शाखा, टाउन इस्टेट,
तीसरा तल, लोअर पर्सेल (प.),
मम्बई-400013 ।

गुजरात, महाराष्ट्र, मध्य प्रदेश
तथा गोआ राज्य क्षेत्र एवं मध्य
शासित क्षेत्र, बंगल तथा द्रविड़ एवं
दादर और नगर हवेली ।

तार पता - "पेटेंटिफिस"

फोन : 482 5092 फैक्स : 022 4950 622

पेटेंट कार्यालय शाखा,
एक सं. 401 से 405, तीसरा तल,
नगरपालिका बाजार भवन,
भरतस्थी मार्ग, कर्णल बाग,
मम्बई-110 005 ।

हीरायाणा, हिमाचल प्रदेश, असम
तथा कश्मीर, पंजाब, राजस्थान,
उत्तर प्रदेश तथा दिल्ली राज्य
क्षेत्रों एवं संच कार्यालय क्षेत्र चौडाई हैं ।

तार पता - "पेटेंटिफिस"

फोन : 578 2532 फैक्स : 011 578 6204

CORRIGENDA

Under the heading "PATENT SEALED" in the Gazette of India, Part-III, Section-2, dated 30th July, 1999, notified on 28th Aug., 1999 read the appn. for Patent No. 181780 639/Cal/97 as a 'NON-DRUG' category will full term of fourteen (14) years which was done inadvertently.

Under the heading PATENT SEALED, in the Gazette of India, Part-III, Sec.-2, dated 17th Sept. 1999 notified on 16th Oct. 99 read the Patent No. 181290 instead of 182290 which was inadvertently sealed.

APPLICATION FOR PATENTS FILED IN THE PATENT OFFICE BRANCH, AT TODI ESTATE, THIRD FLOOR, SUN-MILI COMPOUND, LOWER PAREL (WEST) MUMBAI-400013

19-7-99

512/Bom/1999. Hindustan Lever Ltd., "Novel Phenol Oxidizing Enzymes".

513/Bom/1999. Italiya Rasiklal Ramjibhai, "Distillation of water in Vacuum with complete recycle of latent heat of evaporation".

514/Bom/1999. Kenkohyakunijussai Co., Ltd., "Bactericide Containing Iron Ions".

पेटेंट कार्यालय शाखा,
विंग 'सी' (सी-4, ए),
तीसरा तल, राजाजी भवन,
बंगल नगर, बैंगलौर-600090 ।

आन्ध्र प्रदेश, कर्नाटक, केरल, तमिलनाडू
तथा पर्याप्ततरी राज्य द्वारा एवं
संघ शासित क्षेत्र, नश्वरीप, मिनिकाय
तथा पर्याप्ततरी द्वारा ।

तार पता - "पेटेंटिफिस"

फोन : 490 1495 फैक्स : 044 490 1492

पेटेंट कार्यालय (प्रधान कार्यालय),
निजाम ऐलम, दिव्वीय बहुतालीय कार्यालय
भवन, 5, 6 तथा 7वाँ तल,
234/4, आकार्य उगदीश वांग मार्ग,
कलकत्ता-700 020 ।

भारत का अवधीन क्षेत्र ।

पेटेंट कार्यालय का कलकत्ता स्थित प्रधान कार्यालय पेटेंट सह-
योग संघ के अधीन अन्नराष्ट्रीय आवेदनों के लिए रिसीविंग
कार्यालय, इलेक्ट्रोड कार्यालय उपर्युक्त कार्यालय है ।

तार पता - "पेटेंटिस"

फोन : 247 4401 फैक्स : 033 247 3851

पेटेंट अधिनियम, 1970 तथा पेटेंट (संशोधन) अधिनियम,
1999 अधारा पेटेंट (संशोधन) नियम, 1972 द्वारा अपीक्षित
सभी आवेदन, सञ्चालन, विवरण या उन्होंने दस्तावेज़ या कोई
कौशल पेटेंट कार्यालय के केवल समीकृत कार्यालय में ही प्रकृता
किये जाएंगे ।

शुल्क : शुल्कों की अवधारणी या नकद की जाएगी अथवा
जहाँ उपयुक्त कार्यालय अवैस्थित है, उस स्थान की दानुषुलित
रूप से नियंत्रक को भगतान यौग लैंक डायर अथवा चैक द्वारा
की जा सकती है ।

515/Bom/1999. Sacharfenbergkupplung GmbH & Co., "Electrical Cable Coupling for Rail/Track Vehicles."

23-7-99

516/Bom/1999. Hindustan Lever Ltd., "Dispensing Apparatus."

517/Bom/1999. Shah Jaldip Nautamal, "Independent Multi Output Drive".

518/Bom/1999. Endress+Hauser Flowtec AG, "Electrode Assembly for Electromagnetic Flow Sensors".

519/Bom/1999. Mitsu Industries Limited, "A process of Manufacturing Esters of 3-Phenoxy Benzyl Alcohol having well-known Insecticidal Properties"

520/Bom/1999. Mitsu Industries Limited, "A process of Manufacturing Cyclopentenolones from Alkyl Furnas".

521/Bom/1999. Mitsu Industries Limited, "Process of preparation of Unsubstituted or substituted Aromatic Alcohols from Aromatic Aldehydes in Liquids Phase"

522/Bom/1999. Mitsu Industries Limited, "A process of Manufacturing Cyclopropane Carboxylic Acids their Preparations".

523/Bom/1999. Futurica Petrochemicals (Pvt.) Ltd., "Process for Crystallization of Dicarboxylic Acids"

- 26-7-99
- 524/Bom/1999. Kedar Gadgil, "A system and Method for Display for Interactive Information and Software Processing on Remote system/s for providing free Bandwidth".
- 525/Bom/1999, Hindustan Lever Ltd., "Improved Liquid Detergent Composition".
- 526/Bom/1999, Hindustan Lever Ltd., "Improved Liquid Detergent Composition".
- 527/Bom/1999, Hindustan Lever Ltd., Solid Detergent Composition for Washing Fabric and Hard Surfaces".
- 528/Bom/1999, Hindustan Lever Ltd., "Solid Detergent Composition for Washing Fabric and Hard Surfaces".
- 529/Bom/1999, Hoechst Roussel Vet Private Limited, "A process Making a Ready to Inject Diminazene Aceturate".
- 530/Bom/1999, Lohokare Suhas Vaman, "A Miniature Mechanical light duty Pillars Press.
- 531/Bom/1999, Ajanta Pharma Limited, "Process for extraction of luatin and micronutrients from herbal sources".
- 27-7-99
- 532/Bom/1999, Aoyama Optical Co. Ltd., "A Spectacle Lens and a Method of Producing the Same." Japan priority date 31-7-98.
- 28-7-99
- 533/Bom/1999, Hindustan Lever Ltd., "Container and Closure". USA priority date 28-7-98.
- 534/Bom/1999, Hindustan Lever Ltd., "Rotary Cutting And/Or Sealing Mechanisms".
- 535/Bom/1999, Dr. Daftary Gautam Vinod, "A process for preparation of Sterile Cisplatin oil-in-water emulsion with reduced toxicity suitable for parenteral administration".
- 29-7-99
- 536/Bom/1999, Daito Seiki Co., Ltd., "A Drying Apparatus, A Drying Apparatus Assembly, And A Method for Drying". Japan priority date 30-7-98.
- 537/Bom/1999, Shri Ghungath Iyyappan Jolly and Mrs. Avani Ranjit Mainkar, "An Improved Conditioning Shampoo Containing Completely Natural Ingredients".
- 30-7-99
- 538/Bom/1999, Naik Rameshchandra Chhotubhai, "Praku Spindle".
- 2-8-99
- 539/Bom/1999, Vora Nagindas Jamnads, "Lubricating Oil Cooling system in Engine or like Machines".
- 540/Bom/1999, Hindustan Lever Limited, "Hair Treatment Compositions." U.K. priority dt. 3-8-98.
- 541/Bom/1999, Ravinder Kumar Trehan & Jaswant Singh Bist, "Electron reflecting layer composition for perforated shadow mask in the color Cathode ray tube".
- 542/Bom/1999, Nirmal Kumar G. Patel Cammann Carl Chemminitus Gabriele, "A Biosensor for the Detection of Lactic Acid".
- 4-8-99
- 543/Bom/1999, Shri Vivek Ramesh Dudhe, "An instrument for the measurement of slope".
- 544/Bom/1999, Shah Suresh Hirralal, "Conversion kit to change the Fluorescent Lighting Unit from Inductive operation to Electronic Operation". Germany priority date 12-1-99.
- 6-8-99
- 545/Bom/1999, Shah Suresh Hirralal, "Straight Fluorescent Tube that has Sockets on both sides". Germany priority date 12-1-99.
- 546/Bom/1999, Hindustan Lever Limited, "Process for manufacturing Ice Confection". U.K. priority date 6-8-98.
- 547/Bom/1999, Hindustan Lever Limited, "Frozen Low Fat Food Emulsions and Processes therefor". U.K. priority date 6-8-98.
- 548/Bom/1999, Hindustan Lever Limited, "Mild particulate Laundry Detergent Compositions for Washing Textile Fabrics by Hand". U.K. priority date 7-8-98.
- 549/Bom/1999, Hindustan Lever Limited, "Opaque Conditioning Composition". USA priority date 7-8-98.
- 550/Bom/1999, Hindustan Lever Limited, "Opaque Conditioning Composition". USA priority date 7-8-98.
- 551/Bom/1999, Hindustan Lever Limited, "Cosmetic Effervescent Cleansing Pillow". USA priority date 7-8-98.
- 552/Bom/1999, Derlikon Contraves AG, "Optical Rotary Coupler". Switzerland priority date 21-8-98.
- 10-8-99
- 553/Bom/1999, Department of Atomic Energy, "A spiral wound dry polyamide element for membrane filtration and a method of making the same".
- 554/Bom/1999, Department of Atomic Energy, "A method of making a supported dry asymmetric polyamide membrane for membrane filtration".
- 555/Bom/1999, Department of Atomic Energy, "A high pressure vessel for membrane filtration".
- 556/Bom/1999, Department of Atomic Energy, "A device for detecting leaks in tubes".
- 557/Bom/1999, Department of Atomic Energy, "A split coil probe for wire rope".
- 558/Bom/1999, Mr. Tanwir Ahmad Shaikh, Mr. Mohmad Asgar Ali, "Hand Tool for Embroidery work and Needle Work".
- 559/Bom/1999, Madhusudan Hirralal Desai, "Efficient Electric Cooking Range".
- 11-8-99
- 560/Bom/1999, Ashok Hazarilal Garg, "Movable Compact Lighting Trolley fitted with Telescopic Tilttable Mast and AC/DC Self Contained Shock Proof Sources".
- 12-8-99
- 561/Bom/1999, The Associated Cement Companies Limited, "Process for manufacturing RBC (Reactive Belite Cement) and RBC manufactured by said Process".
- 562/Bom/1999, Bhatwal Niranjan Suresh, "Bank Note Detector".
- 563/Bom/1999, Hindustan Lever Limited, "Tea Manufacture".
- 564/Bom/1999, Hindustan Lever Limited, "Process for manufacturing Ice Confection".
- 565/Bom/1999, Hindustan Lever Limited U. K. Priority dt. 14-8-98 "Cosmetic Composition".
- 566/Bom/1999, Hindustan Lever Limited U. K. Priority dt. 14-8-98 "Dispensing Container".
- 567/Bom/1999, Amresh Pratapkumar Sanyal, Shantanu Amresh Sanyal, "A New system of Plant, Process and product for the Mechanized production of a Spun, Multi Layered Fuse for Firecrackers/Fireworks".

- 568/Bom/1999. Dr. Baig Mirza Zahid "Medical Device for Dispensing and Delivering Medicated Steam".
- 569/Bom/1999. Shamvik Glasstech Private Limited "An improved pusher for Transferring Plurality of Glass container Onto Conveyor from Dead Plate".
- 570/Bom/1999. Chamvik Glasstech Private Limited "An Improved Plunger Mechanism for use in a Glassware forming Machine".
- 571/Bom/1999. Shamvik Glasstech Private Limited "An Improved Digital Inverter System".
- 572/Bom/1999. Nath Budhagavi Rajarao Badrinath "A New Data storage & Retrieval system".

13-8-99

- 573/Bom/1999. 1. Parikh Kirtikumar Bechardas, 2. Chaudhary Kacharabhai Bhathibhai, 3. Suthar Rasiklal Ishwarlal, 4. Suthar Bnaresn Kumar Kasnikrai, 5. Chaudhary Vaghajibhai Vahajibhai, 6. Chaudhary Karasanbhai Visabhai, 7. Suthar Ishwarbhai Kaldas, 8. Chaudhary Visabhai Sendhabhai, 9. Parikh Sunilkumar Jaykumar "Auto Deeper and Park Light".

- 574/Bom/1999. Chettayil Karunakaran Kuttykrishnan "A Device for Indicating Exhaustion of LPG Cylinder".

16-8-99

- 575/Bom/1999. Rasiklal Ramjibhai Italiya "Acid Boiling Vessel for Diamond".

- 576/Bom/1999. Godrej and Boyce Manufacturing Co. Ltd., "A Free Standing Partition Panel".

- 577/Bom/1999. Hindustan Lever Limited "A Method of Manufacturing Tagged Articles".

17-8-99

- 578/Bom/1999. 1. Shafee Abdul Rahim Maniar, 2. Mohammed Iqbal Abdul Rahim Maniar, 3. Imtiaz Ahmed Abdul Rahim Maniar "Garbage Dumper Placer".

- 579/Bom/1999. Invent-Fischer AG., Polyester Fibres and Filaments and Method for their Productions". Germany, Priority date 16-9-98.

- 580/Bom/1999. Komori Corporation, "Intaglio Printing Press". Japan- Priority date 21-8-98.

- 581/Bom/1999. Gadkari Deepak Anant "Rapid enzyme linked immunosorbent assay Kit (ELISA KIT) for the diagnosis of rotavirus (RAPTEST-ROTA)".

- 582/Bom/1999. Cipla Limited "Topical Medicinal Spray".

- 583/Bom/1999. Cipla Limited "An improved method for the synthesis of Carvedilol".

18-8-99

- 584/Bom/1999. The Indian Hume Pipe Company Limited, "Improved method of and an apparatus for applying Granular Material to a surface of an Article".

- 585/Bom/1999. Hindustan Lever Limited, "Conditioning Compositions". USA, Priority date 21-8-98.

- 586/Bom/1999. Hindustan Lever Limited, "A Composition for Lightening and High-lighting Hair". USA, dated 21-8-98.

- 587/Bom/1999. Hindustan Lever Limited, "Towlette Product". USA priority dated 31-8-98.

- 588/Bom/1999. Hindustan Lever Limited, "Antiperspirant Material and Compositions Containing it". U.K., Priority date 4-9-98.

19-8-99

- 589/Bom/1999. Chordia Ritesh Ashok, "Method for preparing Ointment for fast and effective Healing of Burns in Man and Animals".

- 590/Bom/1999. Khare Shashikala Nilkanth "Instant-Puran Powder".

- 591/Bom/1999. Mr. Sanjay Narsinh Kulkarni, "Four Coiled variable voltage variable Current Arc Welding Transformer with Elimination of Choke".

20-8-99

- 592/Bom/1999. Rajesh Vaidya and Aparna Vaidya, "Mechanical Operation of Mobile Stage".

- 593/Bom/1999. United Phosphorous Limited, "Continuous Process for Producing Phosphine Fumigant Gas and Corresponding Apparatus".

COMPLETE SPECIFICATION ACCEPTED

Notice is hereby given that any person interested in opposing the grant of a patent on any of the applications concerned, may, at any time within four months from the date of this issue or within such further period not exceeding one month if applied for on Form 4 prescribed under the Patent (Amendment) Rules, 1999 before the expiry of the said period of four months, give notice to the Controller of Patents at the appropriate office on the prescribed Form 7 of such opposition. The written statement of opposition should be filed in duplicate alongwith evidence, if any, with said notice or within sixty days of its date as prescribed in Rule 36 as amended by the Patents (Amendment) Rules, 1999.

The Classification given below in respect of each specification are according to Indian Classification and International Classification Systems.

Printed copies of the specification and drawings, if any, can be supplied by the Patent Office or its branch offices on payment of prescribed charges of Rs. 30/- each.

In the event of non-availability of printed specification, photocopies of the specification and drawings, if any, can be supplied by the Patent Office and its branch offices on payment of prescribed photocopy charges @ Rs. 10/- per page of such document plus Re. 30/-.

स्वीकृत सम्पूर्ण विविहित

एतद्वाया यह सूचना ही जारी है कि संबूध नामवालों ने ये किसी पर पट्टैट अनुशास के विशेष करणे के इच्छुक अधिकार, प्राप्ति निर्गम की तिथि से बार: (4) महीने या आग्रह एसी अवधि जो उक्त चार (4) महीने को अवधि की समाप्ति के पूर्व, पट्टैट (संशोधन) नियम, 1999 के तहत विविहित प्रस्तु 4 पर अपर नामवालों है, एक महीने की अवधि ही अधिक न हो, के भीतर कभी भी निवारण एकस्थ को उपयुक्त कार्यालय में ऐसे विवरण की सूचना विविहित प्रस्तु 7 पर दे सकते हैं। विवरण संबंधी लिखित वक्तव्य दो प्रतिग्राम में सक्षम के साथ, पर्याप्त कोई हो, उक्त सूचना के साथ या पट्टैट (संशोधन) नियम, 1999 इवाग्रा संशोधन नियम 36 के तहत विविहित उक्त दृष्टि की तिथि वे 60 दिन के भीतर फार्मल कर दिये जाने चाहिए।

प्रत्येक विविहित के संबंध वे नीचे विवरण, आण्डी वर्गीकरण द्वारा अन्तर्भूतीय वर्गीकरण के अनुसार हैं ॥

विनिवेश तथा विन बाट्टे, यीर कोह है, की अधिकत प्रतियों की आपूर्ति पट्टे कार्यालय या उसके शास्त्र कार्यालयों में प्रथमीयता 30/- रुपए प्रति की अदायगी पर की जा सकती है।

ऐसी परिस्थित में जब विनिवेश की अधिकत प्रति उत्पत्ति मही है, विनिवेश तथा विन बाट्टे, यीर कोह है, की अधिकत प्रतियों की आपूर्ति पट्टे कार्यालय या उसके शास्त्र कार्यालयों में प्रथमीयता पाइट्रिट बुल जनरल इस्टर्न के 10 रुपए प्रति धन 30/- रुपये की अदायगी पर की जा सकती है।

Cl. : 26 183371

Int. Cl.⁴ : A 46 B3/00

A TOOTH BRUSH HAVING SEPARATE FASTENERS AS BRISTLE CARRIER.

Applicant : BRAUN AKTIENGESELLSCHAFT, OF FRANKFURTER STRASSE 145, D-61476 KRONBERG, FEDERAL REPUBLIC OF GERMANY.

Inventors : GEORGES DRIESSEN, PETER HILFINGER.

Application No. 351/Cal/94 filed on 12th May, 1994.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules, 1972), Patent Office, Calcutta.

13 Claims

A tooth brush having a brush portion comprising a bristle carrier and bristles fixedly secured thereto, characterised in that the bristle are secured in the bristle carrier by separate fasteners which consists of a material such as herein described having an oligodynamic action.




Fig 2

Compl. Specn. : 9 pages

Drgns. : 1 sheet

Cl. : 32 E

183372

Int. Cl.⁴ : C 08 L 23/04
C 08 J 5/18
B 65 D 65/40

A RESIN COMPOSITION.

Applicant : DUPONT CANADA INC., OF BOX 2200, STREETSVILLE, MISSISSAUGA, ONTARIO, L5M2H3 CANADA.

Inventors : VLADIMIR RONALD BRAUN, ALANA JOI VERDONE.

Application No. 844/Cal/94 filed on 17th October, 1994.
(Convention No. 9321254.6 on 14-10-93 in Great Britain).

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules, 1972), Patent Office, Calcutta.

21 Claims

A resin composition for making film for pouches for containing flowable material said composition comprising up to 90 percentage by weight of a multi-site catalyst linear polymer of ethylene as one component and at least one C₄-C₁₀ alpha olefin and from 0 to 90 percentage by weight of a high pressure low density polyethylene and at least 10 percentage by weight of a single-site catalyst long chain branched linear polymer of ethylene and at least one C₄-C₁₀ alpha olefin or at least 10 percentage by weight of a linear polymer of ethylene and at least one C₄-C₁₀ alpha olefin.

Compl. Specn. : 25 pages

Drgns. : Nil.

Cl. : 174 G 183373

Int. Cl.⁴ : G 01 V 1/16.

A LOW DISTORTION DISC-SHAPED SUSPENSION SPRING FOR GEOPHONE.

Applicant : SHAW INDUSTRIES LTD., OF 25 BETH-RIDGE ROAD, REXDALE, ONTARIO M9W 1M7, CANADA.

Inventor : DANIEL MING-KWONG WOO.

Application No. 867/Cal/94 filed on 20th October, 1994.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules, 1972), Patent Office, Calcutta.

12 Claims

A low distortion disc-shaped suspension spring for geophones to suspend a coil form from a permanent magnet assembly for reciprocal movement relative to the magnet assembly, comprising :

an outer ring



an inner ring, and

a plurality of arms extending between and connected to the outer ring and the inner ring, said arms being formed by a plurality of slots, each of which extends along the outside edge of one arm and the inside edge of an adjacent arm, said slots being shaped so that the outside edge of each arm has the same radius of curvature and a center point which is located in the area of the disc-shaped spring on the opposite side of the center of the disc, and

an inside edge having a plurality of curved sections including at least one intermediate section opposite to the outside edge and two end sections that diverge from the outside edge,

to provide each arm with a thin intermediate section that makes up from 2% to 50% of the total length of the arm and end sections that increase in width in the direction of the ring

to which they are attached producing a spring with a high frequency spurious response that is less susceptible to damage due to lateral shock.



Compl. Specn. : 17 pages

Drgns. : 6 sheets.

Cl. : 9D

183374

Int. Cl. : C 21 B 13/02
C 01 B 31/30

AN IMPROVED PROCESS FOR PRODUCING IRON CARBIDE (Fe₃C) IN A SHAFT FURNACE AND APPARATUS THEREFOR.

Applicant : MIDREX INTERNATIONAL B.V., OF WIL-FRIEDSTRASSE 12, CH-8032 ZURICH SWITZERLAND.

Inventors : DAVID CHARLES MEISSNER, WINSTON LEE TENNIES.

Application No. : 297/Cal/95 filed on 15th March, 1995.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules, 1972), Patent Office, Calcutta.

24 Claims

An improved process for producing iron carbide (Fe₃C) in a shaft furnace, comprising the steps of :

(a) charging particulate metal oxide material through a substantially vertical shaft furnace to flow therethrough gravitationally, said furnace having an upper reducing zone and a lower cooling zone;

(b) introducing a reducing gas such as herein described with or without top gas of step (c), and with or without cooling gas, such as herein described, into the furnace intermediate said upper and lower zones at about 1150–1450°F (about 621–788°C) so as to promote a reducing reaction between the reducing gas and the metal oxide material;

(c) causing the reducing gas to move upwardly and countercurrently through the downward flow of said metal oxide material to react with and reduce a portion of said material and to form a top gas at the upper portion of the furnace;


(d) removing the top gas from the upper portion of the furnace and optionally cooling the removed top gas;

(e) maintaining the temperature of the metal oxide material in the reducing zone at about 1200–1400°F (about 649–760°C);

(f) containing the metal oxide material within the reducing zone for a residence time of about 9–15 hours;


(g) introducing a cooling gas such as herein described with or without CH₄ into the furnace near said cooling zone; and

(h) removing the resulting iron carbide (Fe₃C) from the bottom of the furnace.



12 Claims

A quarter-turn valve having a valve body (110) with a through opening (22) forming a fluid flow passage a wall (26) surrounding a portion of said fluid flow passage, said wall defining an annular radially inwardly facing surface, an annular valve seat (78) disposed in said valve body, and a valve element (28) rotatably mounted in said valve body characterized in that there is a first annular, radially inwardly facing groove (86) formed in said radially inwardly facing surface, a ring (92) having a peripheral surface (94) shaped and sized such that said peripheral surface closely faces said radially inwardly facing surface of said wall when said ring is positioned within said through opening, said ring having a first axially facing side (95) and a second axially facing side (100) and a notch (93) formed in said first side, said ring comprising a second radially outwardly facing annular groove (96) in said peripheral surface, said second annular groove intersecting said notch, said first and second annular grooves being substantially in register when said ring is positioned within said through opening whereby said first and second grooves define an annular channel, a wire member (98) having a first end (106) and a second end (105) and means (90, 108) to fix said first end of said wire member in said first annular groove where when said notch on said ring is in register with said means (90, 108) to fix said first end of said wire member and said first end is fixed in said first annular groove, rotation of said ring relative to said valve body in a direction away from said first end of said wire member and along the length of said wire member toward said second end of said wire member, threads said wire member into said channel.



(Compl. Specn.: 13 pages)

Drgns.: 3 sheets

Cl. : 55 F

183376

Int. Cl⁴: A 61 K 33/24, 33/06, 33/08.A METHOD FOR FORMING OSSEOUS TISSUE FOR
FILLING AN OSSEOUS DEFECT IN A SITE OF REDUCED
METABOLIC STATE.

Applicant: ORTHOVITA, INC., OF 285 GREAT VALLEY PARKWAY, MALVERN, PENNSYLVANIA U.S.A.

Inventors:

SCOTT METSGER.

PAUL DUCHEYNE.

EVERT SCHEPERS.

Applicant No.: 699/Cal/95 filed on 19th June, 1995.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta

5 Claims

A method for forming osseous tissue for filling an osseous defect in a site of reduced metabolic state comprising introducing in a known manner, particles comprising:

from 40 to 58% SO₃;from 10 to 30% Na₂O;

from 10 to 30% CaO and

upto 10% P₂O₅, by weight in a size range of from 200 to 300 micrometers into said site.

(Compl. Specn.: 13 pages)

Drgns.: 2 sheets

Cl. : 69 B

183377

Int. Cl⁴: H 02 H 5/04

MICROWAVE OVEN.

Applicant: LG ELECTRONICS INC., OF 20, YOIDO-DONG, YONGDUNGPO-KU SEOUL, KOREA.

Inventor: JONG WOOG LEE.

Application No.: 760/Cal/95 filed on 4th July, 1995.


Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Calcutta.

5 Claims

A microwave oven having a heating cavity (100) wherein food to be heated is placed and also having a magnetron (110) for generating microwave energy to the heating cavity (100) for heating the food placed therein, characterised in that said magnetron (110) is mounted on top of the heating cavity (100) by means of a magnetron bracket; that there is provided a single safety device for cutting off the outside electric power to the microwave oven, in the event of the temperature in the heating cavity (100) and/or that of the magnetron (110) exceeding an allowable limit of the temperature, as desired, said safety device comprising a single thermostat (320) operably connected to an external supply of electric power for supplying/cutting off the power to the microwave oven, the thermostat (320) being mounted to a sidewall of the heating cavity (100) proximate the magnetron (110) by means of a thermostat bracket (330), thereby enabling the thermostat (320) to sense a temperature of the heating cavity (100); and that the thermostat bracket (330) is connected to the magnetron bracket for mounting the magnetron, whereby the temperature of the magnetron (110) is transmitted to the thermostat (320) through the connected magnetron bracket and thermostat bracket (330), thereby enabling the thermostat (320) also to sense the temperature of the magnetron (110), the thermostat (320) being operable for cutting off the external supply of power to the microwave oven.

even in the event of at least one of the respective temperatures of the heating cavity (100) and the temperature of the magnetron (110) exceeding a predetermined temperature.

FIG 3A



(Compl. Specn. : 15 pages;

Drgns. : 4 sheets)

Cl. : 85 C

183378

Int. Cl. : F 23 L 9/00

AN APPARATUS FOR DISCHARGING AIR OR AIR-FUEL MIXTURE INTO A FURNACE.

Applicant : FOSTER WHEELER ENERGY CORPORATION, OF PERRYVILLE CORPORATE PARK, CLINTON, NEW JERSEY 08809 UNITED STATES OF AMERICA.

Inventor : LAWRENCE FRANK NEWMAN.

Application No. : 845/Cal/95 filed on 24th July, 1995.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972). Patent Office, Calcutta.

9 Claims

An apparatus for discharging air, or a mixture of air and fuel into a furnace having two opposed walls, the apparatus comprising:

at least one discharge device (32) for receiving said air or said mixture of air and fuel and for discharging said air or said mixture of air and fuel through its discharge end (32a);

said discharge device having a pair of openings formed on its respective sidewalls for receiving pair of mounting pins (34a and 34b), respectively, extending between said discharge device and the corresponding opposed furnace walls (12b and 14a) for mounting said discharge device for pivotal and axial movement in the space between said opposed furnace walls;

drive means (50 and 52) for generating a torque; and

linkage means (36, 40a, 46 and 44) connecting said drive means said discharge device and thereby effecting said pivotal movement of said discharge device.




FIG. 2

(Compl. Specn. 14 pages)

Drafts : 3 sheets)

CL : 176 F

Int. Cl. : F 22 9/08.

"CONTINUOUS FLOW STEAM GENERATOR".

Applicant : SIEMENS AKTIENGESELLSCHAFT, OF
WITTELSBAKERPLATZ 2, 80333 MUENCHEN,
GERMANY.

Inventor : DR. JOACHIM FRANKE.

Application No. 979/Cal/95 filed on 21st August, 1995.

Appropriate office for opposition proceedings (Rule 4,
Patents Rules, 1972) Patent Office, Calcutta.

8 Claims

Continuous-flow steam generator having a combustion chamber (4) of rectangular cross-section, each combustion-chamber wall (4a, 4a') of which comprises essentially vertically arranged evaporator tubes (12, 12') which are connected to one another in a gas-tight manner via tube webs

(14, 14') and through which a flow medium can flow from the bottom upwards, characterized in that a heat-absorbing surface (F, F') formed from an individual evaporator tube (12, 12') and from the tube web (14, 14') assigned to this is smaller in the case of evaporator tubes (12, 12') in the middle region of the combustion-chamber wall (4a, 4a') than in a corner (26, 26') of the combustion-chamber (4).




FIG 1

Cl. : 94 G

183380

Int. Cl. : B 22 F 9/04, 9/14
C 09 3/00.**"A METHOD OF PRODUCING A MILLED POWDER".**

Applicant : KERR-MCGEE CHEMICAL LLC., OF 123 ROBERT S KERR AVENUE, OKLAHOMA 73102, UNITED STATES OF AMERICA.

Inventor : PHILLIP MILES STORY.

Application No. : 1029/Cal/995 filed on 29th August, 1995.

Appropriate office for opposition proceedings (Rule 4, Patent Rule 1972) Patent Office, Calcutta.

21 Claims

A method for producing a milled powder, such as pigments, fillers and waxes, comprising :

- providing a starting powder to be milled;
- imparting an electrostatic charge to said starting powder by a known method; and
- milling said charged powder in a conventional way to produce a milled powder, and optionally, taking further steps comprising :
- providing a second fraction of said starting powder;
- imparting to said second fraction an electrostatic charge opposite to charge imparted to a first fraction of said starting powder by a known method;
- milling said oppositely charged second fraction of starting powder in a conventional way;
- mixing said oppositely charged second fraction of milled powder obtained by step (f) with substantially equal quantity of said first fraction of milled powder obtained by step (c) to form a mixed milled powder of said first and second fraction charged oppositely; and
- collecting said mixed powder by a conventional means.

Compl. Specn. : 15 pages

Drgns. : Nil sheet.

183381

Ind. Cl. : 55 D
Int. Cl. : A 01 N 31/00**A PROCESS FOR PREPARING STABLE HERBICIDAL COMPOSITIONS WITH ENHANCED HERBICIDAL ACTIVITY.**

Applicant : BASF CORPORATION, 3000 CONTINENTAL DRIVE-NORTH, MOUNT OLIVE, NJ 07828-1234, U.S.A.
A CORPORATION ORGANISED UNDER THE LAWS OF THE STATE OF DELAWARE.

Inventors :



- CHRISTOPHER G. UTZ.
- DONALD A. POUCHER.

Application No. 1307/Mas/96 filed on 23rd July, 1996.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Chennai Branch.

8 Claims

A process for preparing a stable herbicidal composition with enhanced herbicidal activity comprising the steps of admixing a known broad spectrum herbicide and a heteric EO/PO copolymer having the formula



Compl. Specn. : 13 pages

2-3670/99

Drgns. : 3 sheets.

wherein Y is the nucleus of an organic reactive hydrogen compound having x reactive hydrogen atoms and up to 6 carbon atoms, x is an integer, EO is ethylene oxide, PO is a propylene oxide hydrophobe having an oxygen/carbon ratio of not more than 0.40, (EO, PO) represents a hydrophilic heterocyclic block having an oxygen/carbon ratio of more than 0.40, m, n and n are numbers such that the total molecular weight of said hydrophilic heterocyclic block is from about 660 to 11,400, the total molecular weight of said PO hydrophobe is from about 1500 to 3600 and the total molecular weight of said copolymer range from about 2,200 to 15,000 said copolymer having at least 30 weight percent of EO content and from 5 to 40 weight percent of PO; the said copolymer having surface active properties.

Reference : Indian : 16377

U.S. : 5047079, 5104647, 5187191.

Agent : M/s. Depenning & Depenning.

Compl. Specn. 14 Pages;

Drgns. Nil Sheet.

Application No. 2337/Mas/96 filed on 20th December 1996.

Convention Date : 20-12-95, No. 1447/95, Danish.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules, 1972), Patent Office, Chennai Branch.

7 Claims

A method of preparing an improved composition for making bread, pasta and the like, comprising the steps of adding pyranose oxidase and at least one second component selected from a group consisting of known second enzymes, milk powder, gluten, emulsifiers, granulated fat, oxidants, amino acids and sugars to conventional bread and pasta making compositions.

Agent : M/s. Depenning & Depenning.

(Cmpl. Specn. : 19 Pages ;

Drgs. 2 sheets.)

183384

Ind. Cl. : 83 B 3

Int. Cl. : A 21 L 1/10.

A PROCESS FOR THE PRODUCTION OF THE FREE FLOWING DISPERSIBLE GRANULAR FOOD PRODUCT.

Applicant : SOCIETE DES PRODUITS NESTLE S.A., A SWISS BODY-CORPORATE, VEVEY, SWITZERLAND.

Inventors :

- (1) BONNASSEE GAHOT SABINE
- (2) BURRI JOSEF
- (3) GEROMINI OSVALDO
- (4) HECK ERNST
- (5) REIMERDES ERNST H
- (6) SIROHI DHAN PAL

Application No. 163/Mas/97 filed on 28th January 1997.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Chennai Branch.

11 Claims

A process for the production of a free flowing and instantly dispersible and/or soluble granular food product such as herein described comprising mixing powdery carbohydrate and/or protein rich materials with an oil or fat such as herein described, further mixing the mixture thus obtained with further quantity of powdery carbohydrates and/or protein rich materials in order to obtain a powdery and/or doughlike mix, forming the mix into granules by moistening and by particle to particle contacting, and drying the granules by known methods.

Ref. to DD—A—248502
GB—A—2131271
US—A—5332585
US—A—4578274
FR—A—1203715
FR—A—1348948
US—A—3142569 have been made

Agents : M/s. Do Penning & De Penning.

(Compl. Specn. : 13 Pages ;

Drgs. : Nil sheet).

183385

Ind. Cl. : 83 A 1 & 33 B 5

Int. Cl. : A 23 G 1/00.

A PROCESS FOR THE CONTINUOUS PRODUCTION OF CHOCOLATES AND FAT CONTAINING CONFECTIONERY MATERIAL.

Applicant : SOCIETE DES PRODUITS NESTLE SA (A SWISS BODY CORPORATE) OF VEVEY, SWITZERLAND.

Inventors :

1. PETER WAGNER
2. JOAN QI SI.

Inventors :

- (1) MARK JURY
(2) JOHN HOWARD WALKER

Application No. 393/Mas/97 filed on 26th February 1997.

(Convention No. 9606285.6 on 26-03-96 in UK).

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Chennai Branch.

19 Claims

A process for the continuous production of chocolates or fat-containing confectionery by extrusion from a screw extruder comprising the steps of feeding the chocolates or fat-containing confectionery material into the screw extruder and extruding the same in a substantially solid or semi-solid nonpourable form upstream of a flow constriction, wherein the temperature of the screw and the temperature of the barrel wall are maintained at 10°C to 35°C and -50°C to +20°C respectively the screw speed, pressure, contraction ratio and extrusion ratio depending on the type of extrudate, to produce, an axially homogeneous extruded product having substantially the same cross sectional profile as that of the die exit of the extruder, to produce chocolate or fat confectionery material having temporary flexibility or plasticity enabling it to be physically manipulated, cut or plastically deformed.

Ref. to Indian Patent No. 177900.

Agents : M/s. De Penning & De Penning.

(Comp. Spec. 17 Pages

Drawings. 01 Sheet)

Ind. Cl. 83-B6 & 83-B9

183386

Int. Cl. : B 65 B 55/14,
A 23 L 1/42

PRESERVATION OF COOKED RICE/SEMOLINA/PASTA/DHALS AND ALLIED PRODUCTS IN HERMETICALLY SEALED PACKAGES AND CONTAINERS.

Applicant & Inventor : PANGANAMAMULA VENKATA SURYA PRAKASA RAO, TECHNICAL ADVISER, USHODAYA ENTERPRISES LIMITED, PRIYA FOODS DIVISION, EENADU COMPLEX, SOMAJIGUDA, HYDERABAD-500 082, ANDHRA PRADESH.

Application No. 722/Mas/97 dated April 7, 1997.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Chennai Branch.

7 Claims

A process for the preservation of cooked rice/semolina/dhals and allied products in hermetically sealed packages and containers, comprising cooking of the rice or allied product in water acidified with an edible organic or food acid to bring down the pH of the cooked rice to an equilibrated level of less than 4.6, during the process of cooking itself, adding and thoroughly mixing all the other ingredients and additives, such as Lime juice/Tamarind pulp or juice/Curds/Sambar, common salt, spices, and seasoning; regulating and maintaining the equilibrated pH value of the respective products within 4.1 to 4.5; filling the finished product cooked and prepared as aforementioned into hermetically sealable containers, as hot as possible, hermetically sealing the containers so filled; and subjecting the containers so sealed to a supplemental thermal processing (time-temperature) schedule, at 90 to 100 degrees centigrade, which is milder, less vigorous, and less time-consuming than the known conventional method of thermal processing currently in vogue.

(Com. 8 pages)

Ind. Cl. : 83 B5

183387

Int. Cl. : A 23 L 1/227

A PROCESS FOR THE PRODUCTION OF A SEASONING.

Applicant : SOCIETE DES PRODUITS NESTLE S.A. OF CH-1800, VEVY, SWITZERLAND, (A SWISS BODY CORPORATE).

Inventors :

- (1) BANESCH JOHANNES,
(2) GAIER WALTER,
(3) KHOO HAZEL GEOK NEO,
(4) LIM BEE GIM,
(5) LAI HOWE LING.

Application No. 1591/Mas/97 filed on 16th Jul 1997.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Chennai Branch.

11 Claims

A process for the production of a seasoning comprising the steps of preparing fermented protein koji from a known protein containing material and a carbohydrate in a known manner, hydrolysing the fermented protein koji at a temperature between 15°C and 60°C and a pH of from 4.5 to 10 for a period of from 6 hours to 28 days, innoculating a culture of a lactic acid bacteria having an inoculation density of from 10^9 to 10^{10} cfu/g of fermented protein koji either in the fermentation stage of protein koji or in the hydrolysis stage and extracting the seasoning thereafter from the medium in a known manner.

Agents : M/s. De Penning & De Penning.

Reference : EP-A-93119988.8 No. 5115100

Comp. Specn 14 pages

Drawings

Ind. Cl. 32 F 3 (a)

183388

Int. Cl. : C 07 D 303/00

A PROCESS FOR THE MANUFACTURE OF AN OPTIONALLY PROTECTED 4, 8, 8-TRIMETHYL-1-OXASPIRO (2.5) OCT-4-EN-6-OL.

Applicant : F HOFFMANN-LA ROCHE AG., OF 124 GRENZACHERSTRASSE, CH 4070 BASLE, SWITZERLAND, A SWISS COMPANY.

Inventors :


- (1) HANS HILPERT.
(2) ERICH WIDMER.

Application No. 1743/Mas/97 filed on 04th August, 1997.


Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Chennai Branch.

10 Claims

A process for the manufacture of an optionally protected 4, 8, 8-trimethyl-1-oxaspiro[2.5]oct-4-en-6-ol of the general formula I



where R signified hydrogen or a known protecting group for hydroxy, comprising the steps of reacting a protected 4-hydroxy-2, 6, 6-trimethyl-2-cyclohexen-1-one of the general formula II



with halogenated methylolithium and if desired cleaving off said protecting group R from the thus obtained protected 4, 8, 8-trimethyl-1-oxaspiro[2.5]oct-en-6-ol by known means and isolating said oxaspiro[2.5]oct-en-6-ol from the reaction mixture by known methods.

Agent : M/s. Depenning & Depenning.

Comp. Specn. 12 Pages;

Drgns. Nil Sheet.

Ind. Cl. : 83 A 1

183389

Int. Cl. : A 23 L 1/20

A PROCESS FOR PRODUCING A FOOD SEASONING.

Applicant : SOCIETE DES PRODUITS NESTLE S.A.,
OF CH-1800 VEVEY, SWITZERLAND, A SWISS BODY
CORPORATE.

Inventors :

- (1) PETER NIEDERBERGER
- (2) JOHANNES BAENSCH
- (3) HAZEL GEOK NEO KHOO
- (4) HOWER LIMG LAI
- (5) BEE GIM LIM.

Application No. 1920/Mas/97 filed on 01st September 1997.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Chennai Branch.

14 Claims

A process for producing a food seasoning comprising treating fermented protein koji prepared by innoculating mixture of a protein containing material and a carbohydrate with a culture of *Aspergillus oryzae* and/or *Aspergillus sojae*, with yeast at a temperature of from 20° to 25°C at a pH of from 4.5 to 10 for a period of from 6 hours to 28 days to hydrolyse the same and separating the liquid seasoning obtained thereby from the solid residue.

Ref. to Indian Patent—178779.

Agents : M/s. De Penning & De Penning.

Comp. Specn. 12 Pages;

Drgns. Nil Sheet.

Ind. Cl. : 32 F 20, 55 E, 55 E.

183390

Int. Cl. : B 01 D 15/02, C 07 D 501/00

A PROCESS FOR PURIFYING CEPHALEXIN.

Applicant : CHEMFERM V OF., DE BUSTER 18, 4817 HX BREDA, THE NETHERLANDS, A NETHERLANDS COMPANY.

Inventors :

- 1. THEODORUS JOHANNES GODFRIED MARIA VAN DOOREN.
- 2. WILHELMUS HUBERTUS JOSEPH BOESTEN.

Application No. 2138/Mas/97 filed on 26th September 1997.

Convention Date : 27-09-1996, No. 09600813, Belgium.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Chennai Branch.

7 Claims

A process for preparing substantially pure cephalexin by removing contaminants like D-phenyl glycine amide or D-phenylglycine esters and/or 7-amino-3-acetoxycephalosporanic acid and proteins from crude solid cephalexin comprising the steps of preparing a solution of said cephalexin in a known solvent, treating said solution with active carbon, separating and concentrating the mother liquor to obtain substantially pure cephalexin therefrom by conventional methods.

Agents : M/s. De Penning & De Penning.

Reference : WO-A-93/12256.

Comp. Specn. 10 Pages;

Drgns. Nil Sheet.

CESSATION OF PATENTS

169787 169788 169789 169796 169799 169835 169862 169898
169915 169942 169943 169972 169980 169982 170049 170061
170066 170095 170098 170119 179158 170178 170242 170290

PATENT SEALED ON 12-11-99

182491 182493*D 182494*D 182495*D 182496*D 182497*D
182498*D 182499*D 182500*D 182503 182506* 182509*
182512*D 182513*D 182514*D 182515*D 182516*D
182517*D 182518*F 182519*D 182522* 182524* 182528*D
182529*D 182534 182535* 182537* 182538* 182539*
182540*F

CAL - 09, DEL - 12, MUM - NIL, CHEN - 09

*Patent shall be deemed to be endorsed with words LICENCE OF RIGHT Under Section 87 of the Patents Act, 1970 from the date of expiration of three years from the date of sealing.

D Drug Patents

F Food Patents

REGISTRATION OF DESIGNS

The following designs have been registered. They are not open to inspection for a period of two years from the date of registration except as provided for in Section 30 of the Designs Act, 1911.

The date shown in the each entries is the date of registration included in the entries.

Class 4. Nos. 175401, 175402, 175403, 175408 & 175409.
M/s. Glass and Ceramic Decorators, Prop :
The Kohinoor Glass Factory Ltd., 9-E, Dr. E.
Moses Road, P. O. Box No. 6251, Mumbai-
400011, "BOTTLE", 31st December 1997.

Class 12. Nos. 175413 & 175414, M/s. VVF Limited, an Indian company having their office at Opp. Sion Fort Garden, 109, Sion (E), Mumbai 400022, Maharashtra, India, "SOAP", 1st January 1998.

Class 1. No. 175415, Kores India Limited, whose address is Kores House, Off. Dr. E. Moses Road, Worli, Bombay 400018, Maharashtra, India, "STAPLER", 1st January 1998.

Class 3. No. 175416, Kores India Limited, whose address is Kores House, Off. Dr. E. Moses Road, Worli, Bombay 400018, Maharashtra, India, "STAPLER", 1st January 1998.

Class 3. No. 175419 & 175420, Vidyut Metallics Ltd., Indian Ltd. Co. having its regd. office at Malhotra House, 4th Floor, Opp. G. P. O., Fort, Mumbai-400001, Maharashtra, India, "KNIFE", 1st January 1998.

Class 3. No. 175421, Inalsa Limited, Surya Kiran, 19 Kasturba Gandhi Marg, New Delhi 110001, India, an Indian company, "MIXER GRINDER", 2nd January 1998.

Class 1. No. 175422, Novelty Trading Corporation at Bhati Street, Moradabad 244014, India, a proprietary concern, "CANDLE HOLDER", 2nd January 1998.

Class 3. No. 175424, Classic Mouldplast Industries Ltd. of 216 Old China Bazar Street, 1st floor, Room No. 1, Calcutta-700001, West Bengal, India, "TABLE", 2nd January 1998.

Class 3. Nos. 175425 & 175426, Hindustan Lever Ltd., registered office of which is at Hindustan Lever House, 165-166, Backbay Reclamation, Bohbay-400020, Maharashtra, India, "TOOTHBRUSH", 2nd January 1998.

Class 3. Nos. 175428 & 175429, Zenith Finvest Pvt. Ltd., an Indian Company of 4th floor, Trust House, 32A, Chittaranjan Avenue, Calcutta 700012, W. Bengal, India, "PEG MEASURE", 5th January 1998.

H. D. THAKUR
Controller General of Patents
Designs & Trademarks

